

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	IS&R	L1	1	("6744024").PN.	USPAT	2004/09/14 15:46
2	IS&R	L2	2	((("6288379") or ("5796080"))).PN.	USPAT	2004/09/14 16:09
3	BRS	L3	234	(microwave with oven) and (mode with (single or dual))	USPAT	2004/09/14 16:10
4	BRS	L4	132	(microwave with oven) and (mode near (single or dual))	USPAT	2004/09/14 16:14
5	IS&R	L5	1	("5672316").PN.	USPAT	2004/09/14 16:12
6	BRS	L6	0	5 and mode	USPAT	2004/09/14 16:12
7	BRS	L7	54	4 and chemical	USPAT	2004/09/14 18:25
8	BRS	L8	17	7 and pump and valve\$1	USPAT	2004/09/14 18:26
9	BRS	L10	0	9 and (single near applicator)	USPAT	2004/09/14 18:11
10	BRS	L12	0	11 and (single near applicator)	USPAT	2004/09/14 18:11
11	IS&R	L9	1	("5393492").PN.	USPAT	2004/09/14 18:08
12	BRS	L13	0	9 and (single near mode)	USPAT	2004/09/14 18:11
13	BRS	L14	0	11 and (single near mode)	USPAT	2004/09/14 18:11
14	BRS	L15	0	11 and ( mode)	USPAT	2004/09/14 18:11
15	BRS	L16	0	9 and ( mode)	USPAT	2004/09/14 18:11
16	IS&R	L11	1	("4681740").PN.	USPAT	2004/09/14 18:14
17	BRS	L17	2389	microwave\$3 with fluid	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 19:53

	Type	L #	Hits	Search Text	DBs	Time Stamp
18	BRS	L18	858	17 and chemical	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 18:26
19	BRS	L19	191	18 and pump and valve\$1	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 19:54
20	BRS	L20	27	19 and (peristaltic with pump)	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 18:30
21	BRS	L22	0	5 and (temperature with (sensor or detect\$3))	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 19:54
22	IS&R	L23	1	("6614010"):PN.	USPAT	2004/09/14 18:52
23	BRS	L24	1	23 and (temperature with (sensor or detect\$3))	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 18:53
24	BRS	L25	18	21 and (temperature with (sensor or detect\$3))	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 18:54

	Type	L #	Hits	Search Text	DBs	Time Stamp
25	BRS	L26	0	25 and (adjust\$3 with microwave with power)	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 18:55
26	BRS	L27	0	25 and (adjust\$3 with microwave)	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 18:55
27	BRS	L28	17	25 and (adjust\$3 with power)	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 18:56
28	BRS	L29	17	28 and processor	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 19:55
29	BRS	L32	0	30 and (ball with valve)	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 19:55
30	BRS	L30	17	29 and cool\$3	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 19:15

	Type	L #	Hits	Search Text	DBs	Time Stamp
31	BRS	L33	1	25 not 28	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 19:16
32	BRS	L34	9	20 not 21	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 19:16
33	BRS	L21	18	19 and (peristaltic with pump) and ((diaphragm or pneumatic) with pump)	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 19:55
34	IS&R	L35	2172	(219/679,687,704,696,711,726,745,746, 690,750,751,748,749).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 19:52
35	IS&R	L36	2588	(422/21,129,186,187,186.29).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 19:52
36	IS&R	L37	101	(34/393).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 19:52

	Type	L #	Hits	Search Text	DBs	Time Stamp
37	BRS	L38	4800	35 or 36 or 37	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 19:52
38	BRS	L39	75	38 and (microwave\$3 with fluid) and chemical	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 19:54
39	BRS	L40	22	39 and pump and valve\$1	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 19:54
40	BRS	L41	6	40 and (temperature with (sensor or detect\$3))	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 19:54
41	BRS	L42	0	41 and (peristaltic with pump) and ((diaphragm or pneumatic) with pump)	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 19:55
42	BRS	L43	0	41 and (ball with valve)	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 19:55

	Type	L #	Hits	Search Text	DBs	Time Stamp
43	BRS	L44	2	41 and processor	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/09/14 19:55